

- **ideal auch für Kinder zwischen 8-12 Jahre**
- **passend für schmale Gesichtsformen**
- **Größe S: (H x B ± 5 mm) 13,5 x 9 cm**
- **hygienisch einzeln eingeschweißt**

Die FFP2 NR Atemschutzmasken ohne Ventil eignen sich hervorragend dort, wo Sie sich und andere schützen und eine generelle Maskenpflicht besteht. Die Halbmasken sind ideal für private und professionelle Zwecke geeignet. Die Nasenbügel sind selbstverständlich flexibel anpassbar und somit auch für Brillenträgern problemlos tragbar.

Mit einer Filterleistung von $\geq 94\%$ eignen sich Masken zum Schutz vor Viren

Unsere Atemschutzmasken gehören zur Produktgruppe "persönliche Schutzausrüstung" (PSA). Sie passen auch auf unterschiedliche Gesichtsformen. Dank integrierter Dichtlippen in allen Schutzklassen ist es ganz einfach, diese Masken korrekt aufzusetzen und störungsfrei auch über längere Zeit zu tragen (siehe unten: empfohlene Tragedauer).

Die Gesichtsmasken haben folgende Leistungsmerkmale:

- sehr leichte, gute Qualität
- bequemer, anatomisch richtiger Sitz
- vollkommen unbehinderte Atmung
- eingeschweißt in Schutzverpackung
- mit Barcode, zum Wiederverkauf geeignet

Schutz-Merkmale

- Sie filtern mindestens 94 % der sich in der Luft befindlichen Partikel bis zu einer Größe von $0,6 \mu\text{m}$
- zertifizierte FFP2 Atemschutzmaske nach EN149:2001, CE 1463 Norm

Komfort-Merkmale

- eingearbeiteter, flexibel anpassbarer Nasenclip
- dichtlippe im Nasenbereich für hohen Tragekomfort und zuverlässigen Dichtsitz
- weiche Materialkanten für mehr Tragekomfort
- unkomplizierte Handhabung bei hohem Tragekomfort

Allgemeine Merkmale


- mit Nasenbügel für besseren Halt und Schutz
- mit Gummi Bändern ohne binden
- Meltblown Polypropylenpinnvlies, ca. 200 g/m^2

Empfohlene Tragedauer lt. dem Robert Koch-Institut (RKI):

- maximal 75 Minuten mit anschließend 30-minütiger Pause
- nach acht Stunden oder bei Durchfeuchtung sofort entsorgen



Anweisung zur Benutzung



Anleitung

1. Entfalten Sie die Maske, ziehen Sie die Bänder an beiden Enden um die Ohren und positionieren Sie die Maske auf Ihrem Gesicht (mit dem verstellbaren Metallstreifen nach oben zeigend).
2. Pressen Sie den Metallstreifen leicht nach unten, um zu gewährleisten, dass die Maske sicher abdichtet und der Nasenform angepasst ist.
3. Drücken Sie die Maske leicht auf Ihr Gesicht auf, um sie der Gesichtsform anzupassen.

Lager- und Transportbedingungen

Halten Sie die Masken in der Verpackung bis zur Verwendung von direktem Sonnenlicht oder Verunreinigungen fern. Umgebungstemperatur zwischen -20°C bis +40° und relative Luftfeuchtigkeit <80%, kein korrosives Gas, gute Belüftung. Während des Transportes von Feuchtigkeit, Licht und Wärme fernhalten.

Haltbarkeit:
3 Jahre

Bestimmungsgemäße Verwendung

Dieses Produkt, das normalerweise in der allgemeinen Arbeitsumgebung verwendet wird, bietet einen zuverlässigen Schutz vor bestimmten luftgetragenen Partikeln wie Staub und Tröpfchenübertragung.

Vorsichtsmaßnahmen

1. Die Empfehlung der BGW zu den maximalen Tragezeiten, der Erholungsdauer und den nötigen Pausen bei der Nutzung von FFP2/FFP3-Masken beruht auf der DGUV Regel 112-190 "Benutzung von Atemschutzgeräten". Hiernach beträgt die maximale Tragezeit längstens 75 Minuten mit anschließender Mindesterholungsdauer von 30 Minuten.
2. Niemals Teile in der vom Hersteller angegebenen Konfiguration ersetzen, ändern, hinzufügen oder weglassen.
3. Diese Maske trägt zum Schutz gegen bestimmte partikelförmige Verunreinigungen bei, schließt jedoch das Risiko einer Erkrankung oder Infektion nicht vollständig aus.
4. Verwenden Sie die partikelfiltrierende Halbmaske nicht mit Bedingungen, die eine gute Gesichtsabdichtung verhindern können. Die Anforderungen an eine Leckage werden nicht erfüllt.
5. Ersetzen Sie die Maske, wenn
 - A) sie beschädigt ist
 - B) sie durch abhusten von innen kontaminiert ist



Qingdao Weili Protective Articles Co., Ltd
Industrial Park, Ducun, Jiaoxi Office
Jiaozhou, Qingdao, Shandong, China 266327

Hergestellt in China.



2021-02



291-02-02-21



2024-01



Evercess GmbH
Norfer Straße 20
41539 Dormagen



www.evercess.com



info@evercess.com



+49 (0) 461 - 574 985 54



+49 (0) 461 - 574 985 56



Fünf Schichten
Starker
Filterungsschutz



Anti-Beschlag-
Beschichtung
partikelsicher
anti-speichel



Wirksamer
Filterfaktor
von mind. 94%

EN 149:2001+A1:2019



2021-02



291-02-02-21



2024-01

Model: WL-P2095

EN149:2001+A1:2009

CE 1463

• persönliche Schutzausrüstung (PSA)
• kein Medizinprodukt



AC 114

CERTYFIKAT BADANIA TYPU UE (MODUŁ B) EU TYPE-EXAMINATION CERTIFICATE (MODULE B)

Nr
No. CW/PPER/3/08/2020**ZAŚWIADCZA SIĘ,**

że Polski Rejestr Statków S.A. (PRS) przeprowadził procedurę badania typu wymienionego niżej wyrobu i stwierdził jego zgodność z wymaganiami określonymi w załączniku V do Rozporządzenia Parlamentu Europejskiego i Rady (UE) 2016/425 (PPE) w sprawie środków ochrony indywidualnej oraz uchylecia dyrektywy Rady 89/686/EEG, ze zmianami.

THIS IS TO CERTIFY

that Polski Rejestr Statków S.A. (PRS) did undertake the EU type-examination procedure for the product identified below which was found to be in compliance with the requirements of Annex V to the Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC, as amended.

Wnioskodawca
Applicant

Qingdao Weili Protective Articles Co., Ltd.
Industrial Park, Ducun, Jiaoxi Office
Jiaozhou, Qingdao, Shandong, China 266327.

Producent
Manufacturer

Qingdao Weili Protective Articles Co., Ltd.
Industrial Park, Ducun, Jiaoxi Office
Jiaozhou, Qingdao, Shandong, China 266327.

Typ wyrobu
Product type

Sprzęt ochrony układu oddechowego. Półmaski filtrujące do ochrony przed cząstkami.
Respiratory protective devices. Filtering half masks to protect against particles.

Opis wyrobu
Product description

Półmaska filtracyjna, model: WL-P2095 (klasa FFP2 NR).
Filtering Half Mask, Model: WL-P2095 (FFP2 class NR).

Zastosowane normy
Specified standards

PN-EN 149+A1:2010 (EN 149:2001+A1:2009)

Niniejszy certyfikat pozostaje ważny do czasu unieważnienia przy zachowaniu warunków uznania (patrz str. 2).
This certificate remains valid unless cancelled or revoked, provided the approval conditions (see page 2) are complied with.

Data ważności
Expiry date

2025-08-03

Dyrektor Pionu Certyfikacji
Certification Division Director

Michał Chudziński

Gdańsk, 2020-08-04

Nr jednostki notyfikowanej
No. of notified body

1463

NOTIFIED BODY
Polski Rejestr Statków S.A.
Gen. Józefa Hallera 126
80-416 Gdańsk, Poland

tel. (+48) (58) 346 17 00
fax (+48) (58) 341 77 69
e-mail: dc@prs.pl
www: <http://www.prs.pl/>

Wykaz dokumentacji
List of documents

1. Instrukcja użytkowania - zatwierdzona przez PRS S.A. dnia 2020-07-31.
2. Ocena ryzyka - zatwierdzona przez PRS S.A. dnia 2020-07-31.
3. Dokumentacja techniczna „Półmaska filtracyjna, model: WL-P2095” - zatwierdzona przez PRS S.A. dnia 2020-07-31.
4. Raport z badań nr [2020] WSZ FHL NO.6952 wydany przez Jiangsu Guojian Testing Technology Co., Ltd. z akredytacją CNAS L10118 z dnia 2020-07-08.
5. Sprawozdanie z przeglądu PRS S.A. nr CW/PPER/MAP/18/2020 z dnia 2020-08-03.

1. *Instruction of use - approved by PRS S.A. on 2020-07-31.*
2. *Risk analysis - approved by PRS S.A. on 2020-07-31.*
3. *Technical documentation "Filtering Half Mask, Model: WL-P2095 - approved by PRS S.A. on 2020-07-31.*
4. *Test report No. [2020] WSZ FHL NO.6952 issued by Jiangsu Guojian Testing Technology Co., Ltd. with CNAS accreditation no. L10118 dated on 2020-07-08.*
5. *PRS S.A. Survey Report No. CW/PPER/MAP/18/2020 dated on 2020-08-03.*

Miejsca produkcji
(inne niż podane na stronie 1)
Places of production
(different than given on page 1)Ograniczenia uznania
Approval limitations

1. Dane techniczne:
 - półmaska filtrująca z regulowanym klipsem na nos,
 - półmaska filtrująca wykonana z 5 warstwowej włókniny z filtrem z tkaniny,
 - wymiary: 105x155 mm,
 - docelowa grupa użytkowa: dorośli dla obu płci,
 - kolor: biały.
2. Półmaska filtrująca przeznaczone do jednorazowego użytku.
3. Dokumentacja techniczna zatwierdzona w języku angielskim.
4. Produkt ten nie może być stosowany jako maska przeciwgazowa w środowisku toksycznym.
5. Półmaska filtrująca nie jest przeznaczona do użytkowania medycznego i chirurgicznego.

1. *Specifications:*
 - *particle filtering half mask with adjustable nose clip,*
 - *particle filtering half mask made with 5 layers non-woven fabric with melt-blown fabric filter,*
 - *size: 105x155mm,*
 - *target group: unisex,*
 - *color: white.*
2. *Respirator Mask shall not be used for more than one shift.*
3. *Technical documentation approved in English.*
4. *This product can not be used as a gas mask in a toxic environment.*
5. *Respirator Mask can not be used for medical and surgical purposes.*

Warunki uznania
Approval conditions

1. Niniejszy certyfikat straci ważność po wprowadzeniu zmian lub modyfikacji w wyrobie bez uprzedniego uzgodnienia z PRS.
This certificate becomes invalid after changes or modifications to the product without prior agreement with PRS.
2. Znak zgodności może być umieszczony na uznanym wyrobie oraz może być wystawiona deklaracja zgodności tylko pod warunkiem, że łącznie z badaniem typu UE zostanie przeprowadzona ocena zgodności produkcji pod nadzorem jednostki notyfikowanej, według załącznika VII lub VIII wymienionego wyżej rozporządzenia.
The Mark of Conformity may only be affixed to the above type approved product and a manufacturer's Declaration of Conformity issued provided the production is assessed under surveillance of a notified body according to Annex VII or VIII of the a/m Regulation.



AC 114

**CERTYFIKAT ZGODNOŚCI Z TYPEM W OPARCIU O WEWNĘTRZNĄ KONTROLĘ
PRODUKCJI ORAZ NADZOROWANE KONTROLE PRODUKTU
W LOSOWYCH ODSTĘPACH CZASU (Moduł C2)**

**CONFORMITY TO TYPE CERTIFICATE BASED ON INTERNAL PRODUCTION CONTROL
PLUS SUPERVISED PRODUCT CHECKS AT RANDOM INTERVALS (Module C2)**

Nr
No. CW/PPER/64/09/2020

Okres objęty certyfikatem
Period covered by the certificate

2020-09-22 – 2021-09-21

Dokumenty odniesienia:
General reference documents: Rozporządzenie UE 2016/425 dotyczące środków ochrony indywidualnej (PPE), załącznik VII
Regulation (EU) 2016/425 on personal protective equipment (PPE), Annex VII

Posiadacz certyfikatu
Certificate holder **Qingdao Weili Protective Articles Co., Ltd.**
Industrial Park, Ducun, Jiaoxi Office
Jiaozhou, Qingdao, Shandong, China 266327

Wyrób Product	Certyfikat badania typu UE EU Type-examination certificate	Normy zharmonizowane/Specyfikacje Harmonised standards/Specifications
Półmaska filtracyjna, model: WL-P2095 (klasa FFP2 NR) Filtering Half Mask, Model: WL-P2095 (FFP2 class NR)	CW/PPER/3/08/2020	PN-EN 149+A1:2010 EN 149:2001+A1:2009

A Roczna ocena zgodności wyrobów z normą/specyfikacją i badanym typem
Annual assessment of products compliance with standard/specification and type-examined

1 Miejsca i daty wizyt
Visit locations and dates

Qingdao Weili Protective Articles Co., Ltd.

2a Wyboru dokonał (imię, nazwisko)
Selection carried out by (Name)
Związek z jednostką notyfikowaną
Relationship to notified body

Mateusz Płomiński

Ekspert Biura Certyfikacji Wyrobów i Osób
Products and Persons Certification Bureau Expert

2b Przedstawiciel firmy (imię, nazwisko)
Company representative (Name)
Stanowisko
Position

Renna Xu

Quality Manager

3 Związek pomiędzy wizytowaną firmą a posiadaczem certyfikatu badania typu UE
Relationship of company visited to EU type-examination certificate holder

☐ Posiadacz certyfikatu
Certificate holder

☒ Miejsce produkcji
Production site

☐ Inne miejsce produkcji
Secondary production site

☐ Importer
Importer

☐ Dystrybutor
Distributor

☐ Sprzedaż detaliczna
Retail outlet

☐ Europejskie biuro firmy
European office of the company

☐ Inny:
Other:

Wykaz środków ochrony indywidualnej
List of personal protection equipment

☒ Dostępny
Available

☐ Niedostępny
Not available

Wybór próbki
Sample selection

☒ Wybrano – Nr egz./partii:
Selected – lot/batch No. 20200717

☐ Nie wybrano
Not selected

4 Wybór próbki
Sample selection

☒ Prawidłowy
Correct

☐ Nieprawidłowy
Incorrect

Wyniki badań
Result of tests

☒ Pozytywne
Positive

☐ Negatywne
Negative

5 Wybór próbek i badania wykazały zgodność z przywołanymi normami/specyfikacjami i badanym typem
Sample selection and testing demonstrated compliance with the reference standards/specifications and type-examined

☒ Tak
Yes

☐ Nie
No



Nr jednostki notyfikowanej
No. of notified body

1463

Polski Rejestr Statków S.A.
al. Gen. Józefa Hallera 126
80-416 Gdańsk, Poland

tel. (+48) (58) 346 17 00
fax (+48) (58) 346 03 92
e-mail: mailbox@prs.pl
www: http://www.prs.pl/

B Roczna ocena niejednorodności produkcji
Annual assessment of production non-homogeneity

1 Zastosowana metoda przy dokonaniu oceny
Method employed to perform assessment

- ☐ Inspekcja procesu produkcyjnego i zapisów z prób
On-site review of production and test records
- ☐ Audit kontroli procesu produkcyjnego
On-site audit of production control
- ☐ Ocena niejednorodności produkcji poprzez ocenę jednej dużej próbki
Production non-homogeneity assessed by selection of a single, large sample
- ☐ Ocena niejednorodności produkcji poprzez ocenę próbek w ciągu roku
Production non-homogeneity assessed by assessment of samples throughout the year

2a Ocenę przeprowadził (imię, nazwisko)
Assessment carried out by (Name)

Związek z jednostką notyfikowaną
Relationship to notified body

2b Przedstawiciel firmy (imię, nazwisko)
Company representative (Name)

Stanowisko
Position

3 Na podstawie przeprowadzonej oceny stwierdzono, że proces produkcyjny jest jednorodny
On the basis of the assessment, it has been concluded the production is homogeneous

☐ Tak
 Yes

☐ Nie
 No

C Podsumowanie
Conclusion

Uzasadnienie niezgodności
Justification of non-conformities

Nie było żadnych niezgodności / There were no non-conformities.

Wnioski jednostki notyfikowanej
Conclusions of notified body

Środek ochrony osobistej jest kompatybilny z typem określonym w certyfikacie badania typu UE.

Personal protective equipment is compatible with the type defined in the EC type-examination certificate.

Uwagi
Remarks

1. Półmaska filtrująca przeznaczone do jednorazowego użytku.
2. Dokumentacja techniczna zatwierdzona w języku angielskim.
3. Produkt ten nie może być stosowany jako maska przeciwgazowa w środowisku toksycznym.
4. Maski ochronna nie jest przeznaczona do użytkowania medycznego i chirurgicznego.

1. *Respirator Mask shall not be used for more than one shift.*
2. *Technical documentation approved in English.*
3. *This product can not be used as a gas mask in a toxic environment.*
4. *Protective mask can not be used for medical and surgical purposes.*

D Załączniki
Attachments

Sprawozdania z wizyty Nr
Visit reports No.

CW/PPER/MAP/41/2020 z dnia 2020-09-22

Sprawozdania z badań Nr
Test reports No.

Raport z badań nr CL/WBO/49/2020 wydany przez PRS S.A. Laboratorium Badawcze z dnia 2020-09-15.

Test report no. CL/WBO/49/2020 issued by Testing Laboratory PRS S.A. dated on 2020-09-15.

Gólna ocena z rocznego nadzoru
Overall assessment of the annual surveillance

☒ Pozytywna
 Positive

☐ Negatywna
 Negative

Zastępca Dyrektora Pionu Certyfikacji
 Certification Division Deputy Director

Gdańsk, 2020-09-22

Przemysław Gałka

Test Report

SL52035273075501TX

Date: August 03, 2020

Page 1 of 6

QINGDAO WEILI PROTECTIVE ARTICLES CO., LTD.
INDUSTRIAL PARK, DUCUN, JIAOXI OFFICE, JIAOZHOU, QINGDAO, SHANDONG

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample Description : (A) Protective Mask

Sample Color : (A) White

Previous No. : SL52035260010601TX

Test Performed : Selected test(s) as requested by applicant

Sample Receiving Date : Jul 14, 2020

Testing Period : Jul 14, 2020 - Aug 03, 2020

Test Result(s) : Unless otherwise stated the results shown in this test report refer only to the sample(s) tested, for further details, please refer to the following page(s).

Based on the results of the tests reported and the previous report SL52035260010601TX issued on Jul 01, 2020, our Lab concluded that the recommendation level can be as below.

Sample No.	Recommendation Level
(A)	FFP2 NR

Signed for and on behalf of
SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd Testing Center



Sara Guo (Account Executive)

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233 t (86-21) 61402666 f (86-21) 64958763 www.sgs.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 61402666 f (86-21) 64958763 e sgs.china@sgs.com



Test Result

Personal Protective Equipment - Respiratory Protective Devices- Filtering Half Masks to Protect against Particles- Requirements, Testing, Marking

EN 149:2001+A1:2009

Clause 7.4 Packaging

(EN 149:2001+A1:2009 Clause 8.2)

Test Requirement	Results	Comment
Particle filtering half masks shall be offered for sale packaged in such a way that they are protected against mechanical damage and contamination before use.	Comply	Pass

Clause 7.7 Practical Performance

(EN 149:2001+A1:2009, Clause 8.4)

Test Requirement	Results	Comment
The particle filtering half mask shall undergo practical performance tests under realistic conditions. These general tests serve the purpose of checking the equipment for imperfections that cannot be determined by the tests described elsewhere in this standard.	No imperfections	Pass

Clause 7.8 Finish of Parts

(EN 149:2001+A1:2009, Clause 8.2)

Test Requirement	Results	Comment
Parts of the device likely to come into contact with the wearer shall have no sharp edges or burrs.	No sharp edges or burrs	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CTC Standards Technical Services (Shanghai) Co., Ltd.
Testing Center for Technical Services

3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t (86-21) 61402666 f (86-21) 64958763
t (86-21) 61402666 f (86-21) 64958763

www.sgs.com.cn
e sgs.china@sgs.com

Clause 7.9.1 Total Inward Leakage

(EN 149:2001+A1:2009, Clause 8.5)

Test Requirement	Results	Comment
<p>The total inward leakage consists of three components: face seal leakage, exhalation value leakage(if exhalation value fitted) and filter penetration. For particle filtering half masks fitted in accordance with the manufacturer's information, at least 46 out of the 50 individual exercise results (i.e. 10 subjects x 5 exercises) for total inward leakage shall be not greater than: 25% for FFP1, 11% for FFP2, 5% for FFP3</p> <p>and, in addition, at least 8 out of the 10 individual wearer arithmetic means for the total inward leakage shall be not greater than: 22% for FFP1, 8% for FFP2, 2% for FFP3</p>	Detail refer to Appendix 1	Meet FFP1, Meet FFP2

Appendix 1: Summarization of Test Data

Inward Leakage Test Data

Subject	Sample No.	Condition	Walk(%)	Head Side/side(%)	Head up/down(%)	Talk(%)	Walk(%)	Mean(%)
Zhou	1	A.R.	4.38	6.58	5.92	7.54	5.59	6.00
Luo	2	A.R.	7.99	7.40	6.69	7.42	6.02	7.10
Lu	3	A.R.	5.94	6.61	5.47	6.72	5.50	6.05
Wang	4	A.R.	5.41	4.60	6.00	4.98	5.19	5.24
Bao	5	A.R.	7.29	7.97	5.85	6.29	7.98	7.08
Ding	6	T.C.	5.71	6.02	5.59	4.84	5.80	5.59
Li	7	T.C.	8.40	7.30	7.91	7.56	5.54	7.34
Chen	8	T.C.	6.69	5.65	5.59	5.12	4.88	5.59
Song	9	T.C.	6.50	7.24	5.89	7.22	6.49	6.69
Ye	10	T.C.	6.80	7.39	8.87	5.93	7.16	7.23

Facial Dimension(mm)

Subject	Face length	Face Width	Face Depth	Mouth Width
Chen	125	150	120	58
Lu	115	132	107	48
Zhou	115	135	106	52
Li	125	130	107	46
Luo	125	136	100	43
Zheng	128	140	112	55
Wang	120	147	103	48
Song	120	140	100	50
Bao	130	134	104	50
Ding	134	150	110	52
Liu	120	135	117	50
Ye	126	137	105	52

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t (86-21) 61402666
t (86-21) 61402666

f (86-21) 64958763
f (86-21) 64958763

www.sgsgroup.com.cn
e sgs.china@sgs.com



Clause 7.13 Head Harness

(EN 149:2001+A1:2009, Clause 8.4 & 8.5)

Test Requirement	Results	Comment
The head harness shall be designed so that the particle filtering half mask can be donned and removed easily.	Comply	Pass
The head harness shall be adjustable or self-adjusting and shall be sufficiently robust to hold the particle filtering half mask firmly in position and be capable of maintaining total inward leakage requirements for the device.	Comply	

Clause 7.14 Field of Vision

(EN 149:2001+A1:2009, Clause 8.4)

Test Requirement	Results	Comment
The field of vision is acceptable if determined so in practical performance tests.	Comply	Pass

Clause 7.18 Demountable Parts

(EN 149:2001+A1:2009, Clause 8.2)

Test Requirement	Results	Comment
All demountable parts (if fitted) shall be readily connected and secured, where possible by hand	Comply	Pass

Test	Uncertainty
Total inward leakage	3.4%
Penetration of filter material	4.8%
Carbon dioxide content of the inhalation air	3.9%
Breathing resistance (30L/min)	5.9%
Breathing resistance (95L/min)	4.9%
Breathing resistance (160L/min)	4.3%




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233 t (86-21) 61402666 f (86-21) 64958763 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 61402666 f (86-21) 64958763 e sgs.china@sgs.com

Sample Photo



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t (86-21) 61402666 f (86-21) 64958763
t (86-21) 61402666 f (86-21) 64958763

www.sgsgroup.com.cn
e sgs.china@sgs.com





End of Report



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t (86-21) 61402666
t (86-21) 61402666

f (86-21) 64958763
f (86-21) 64958763

www.sgsgroup.com.cn
e sgs.china@sgs.com



EU Konformitätserklärung für persönliche Schutzausrüstung

Diese Konformitätserklärung wurde in der alleinigen Verantwortung des Herstellers ausgestellt.

Wir erklären hiermit, dass das nachstehend beschriebene Produkt

Artikel-Nr.: WL-P2095

Bezeichnung: Partikelfiltrierende Halbmaske

Klassifikation: FFP2 NR

Hersteller: Qingdao Weili Protective Articles Co., Ltd.

Mit den folgenden harmonisierenden Normen übereinstimmt:

EN 149:2001 + A1:2009

Dieses Produkt entspricht der PSA-Verordnung (EU) 2016/425 und ist mit der PSA identisch, für die Prüfnummer: CW/PPER/3/08/2020 der Notifizierte Stelle 1463, welche die EU-Bemusterungsprüfung nach (Modul B) durchgeführt hat.

Dieses Produkt unterliegt dem Konformitätsbewertungsverfahren gemäß (Modul C2) CW/PPER/64/09/2020, unter Beaufsichtigung der Notifizierten Stelle POLSKI REJESTR STATKOW S.A. 1463.

Unterzeichnet von:

Qingdao Weili Protective Articles Co., Ltd.
Industrial Park, Ducun, Jiaoxi Office
Jiaozhou, Qingdao, Shandong, China 266327

Qingdao, den 31.01.2021,

Dingguo Li 丁国利
General Manager





EU DECLARATION OF CONFORMITY

This declaration of conformity is issued under the sole responsibility of the manufacturer.

Model/ Serial No.: WL-P2095

Product name: Particle Filtering half mask

classification: FFP2 NR

Manufacturer: Qingdao Weili Protective Articles Co., Ltd.

The object of the declaration described is in conformity with the following relevant Union harmonisation legislation:

EN 149:2001 + A1:2009

This product is applicable to the EU regulation (EU) 2016/425.

The notified body POLSKI REJESTR STATKOW S.A., 1463 performed the EU type-examination (Module B) and issued the EU type-examination certificate CW/PPER/3/08/2020.

This product is subject to the conformity type based on internal production control plus supervised product checks at random intervals (Module C2) CW/PPER/64/09/2020 under surveillance of the notified body POLSKI REJESTR STATKOW S.A., 1463.

Signed for and on behalf of:

Qingdao Weili Protective Articles Co., Ltd.
Industrial Park, Ducun, Jiaoxi Office
Jiaozhou, Qingdao, Shandong, China 266327

Qingdao, January 31st 2021,

Dingguo Li 丁国利

General Manager

